



PL Series

Emergency floodlight with LED spotlights. One, two or four spotlights fitted with LED strips (colour temperature: 5,700 K) with dispersed light beam, non-orientable, for installation at great heights. Metal body with epoxy paint in white RAL 9010 (IP42) and grey RAL 7035 (IP66). Remote controllable.



Non maintained IP42

model	Φ (lm)	A (h)	spots	P net (W)	RRP (€)
PL1-1200	1,200	1	1	3.0	139.07
PL1-1800	1,800	1	4	10.4	325.98
PL1-2400	2,400	1	2	4.3	382.10
PL1-3600	3,600	1	4	6.6	494.35
PL1-4800	4,800	1	4	6.6	570.77
PL2-1200	1,200	2	2	4.3	366.59
PL2-1800	1,800	2	2	6.6	408.37
PL2-2400	2,400	2	2	6.6	477.62

Maintained IP42

model	Φ (lm)	A (h)	spots	P net (W)	RRP (€)
PL1-1800P	1,800	1	4	30.0	394.04

Non maintained IP66

model	Φ (lm)	A (h)	spots	P net (W)	RRP (€)
PL1-1200E	1,200	1	1	3.0	170.67
PL1-1800E	1,800	1	4	10.4	539.25
PL1-2400E	2,400	1	2	4.3	562.10
PL1-3600E	3,600	1	4	6.6	719.40
PL1-4800E	4,800	1	4	6.6	803.38
PL2-1200E	1,200	2	2	4.3	524.64
PL2-1800E	1,800	2	2	6.6	569.68
PL2-2400E	2,400	2	2	6.6	643.92


Maintained IP66

model	Φ (lm)	A (h)	spots	P net (W)	RRP (€)
PL1-1800PE	1,800	1	4	30.0	611.06




PL Series

- ◇ The PL1-1200 is the only single spot floodlight with a Li-Ion battery, while the others have Ni-Cd (HT) batteries.
- ◇ This model does not include a metal body, but consists of the spotlight itself with a system of epoxy-painted steel plates that allow it to be oriented in any direction:




- ◇ IP42 floodlight: soft opal diffuser as standard and transparent or strong opal as an option. The floodlight is opened by folding down the cover with respect to the base fixed on the wall. The cover rests at 90°, allowing easy handling of the interior.
- ◇ IP66 floodlight: transparent diffuser as standard and soft or strong opal as an option. The floodlight housing is a watertight metal cabinet with lockable door.
- ◇ The protection rating of the PL1-1200E model with a single spotlight is IP67.




Surface mounting


Single spotlight floodlight IP42




Single spotlight floodlight IP67




Two spotlight floodlight IP42



Two spotlight floodlight IP66



Four spotlight floodlight IP42



Four spotlight floodlight IP66

